

SURVEYOR'S NOTES:


- MONUMENTS WERE FOUND OR SET AT EACH CORNER OF THE SURVEY BOUNDARY OF THE SUBDIVISION AS NOTED. MONUMENTS AND LOT MARKERS WILL BE SET WITH " IRON ROD WITH CAP MARKED "PAPE-DAWSON" OR MAG NAIL WITH DISK MARKED "PAPE-DAWSON" AFTER THE COMPLETION OF UTILITY INSTALLATION AND STREET CONSTRUCTION UNLESS NOTED OTHERWISE.
- COORDINATES SHOWN ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 NAD83 (NA2011) EPOCH 2010.00 FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR THE SOUTH CENTRAL ZONE DISPLAYED IN GRID VALUES DERIVED FROM THE NGS COOPERATIVE CORS NETWORK. DIMENSIONS SHOWN ARE SURFACE.
- 4. BEARINGS ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 NAD83 (NA2011) EPOCH 2010.00, FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR THE SOUTH CENTRAL ZONE.

STATE OF TEXAS COUNTY OF BEXAR


I HEREBY CERTIFY THAT PROPER ENGINEERING CONSIDERATION HAS BEEN GIVEN THIS PLAT TO THE MATTERS OF STREETS, LOTS AND DRAINAGE LAYOUT. TO THE BEST OF MY KNOWLEDGE THIS PLAT CONFORMS TO ALL REQUIREMENTS OF THE UNIFIED DEVELOPMENT CODE, EXCEPT FOR THOSE VARIANCES GRANTED BY THE SAN ANTONIO PLANNING COMMISSION.

STATE OF TEXAS COUNTY OF BEXAR

I HEREBY CERTIFY THAT THE ABOVE PLAT CONFORMS TO THE MINIMUM STANDARDS SET FORTH BY THE TEXAS BOARD OF PROFESSIONAL LAND SURVEYING ACCORDING TO AN ACTUAL SURVEY MADE ON THE GROUND BY: PAPE-DAWSON ENGINEERS, INC.



11680-21; Survey °. N doL Civil



CPS/SAWS/COSA UTILITY

. THE CITY OF SAN ANTONIO AS PART OF ITS ELECTRIC, GAS, WATER, AND WASTEWATER SYSTEMS - CITY PUBLIC SERVICE BOARD (CPS ENERGY) AND SAN ANTONIO WATER SYSTEM (SAWS) - IS HEREBY DEDICATED EASEMENTS AND RIGHTS-OF-WAY FOR UTILITY, TRANSMISSION AND DISTRIBUTION INFRASTRUCTURE AND SERVICE FACILITIES IN THE AREAS DESIGNATED ON THIS PLAT AS "ELECTRIC EASEMENT," "ANCHOR EASEMENT," "SERVICE EASEMENT," "OVERHANC EASEMENT," "UTILITY EASEMENT", "GAS EASEMENT," "TRANSFORMER EASEMENT," "WATER EASEMENT," "SANITARY SEWER EASEMENT" AND/OR "RECYCLED WATER EASEMENT" FOR THE

PUBPOSE OF INSTALLING CONSTRUCTING RECONSTRUCTING MAINTAINING REMOVING INSPECTING, PATROLLING, AND ERECTING UTILITY INFRASTRUCTURE AND SERVICE FACILITIES FOR THE REASONS DESCRIBED ABOVE. CPS ENERGY AND SAWS SHALL ALSO HAVE THE RIGHT TO RELOCATE SAID INFRASTRUCTURE AND SERVICE FACILITIES WITHIN EASEMENT AND R.O.W. AREAS, TOGETHER WITH THE RIGHT OF INGRESS AND EGRESS OVER GRANTOR'S ADJACENT LANDS FOR THE PURPOSE OF ACCESSING SUCH INFRASTRUCTURE AND SERVICE FACILITIES AND THE RIGHT TO REMOVE FROM SAID LANDS ALL TREES OR PARTS THEREOF, OR OTHER OBSTRUCTIONS WHICH ENDANGER OR MAY INTERFERE WITH THE EFFICIENCY OF WATER. SEWER, GAS, AND/OR ELECTRIC INFRASTRUCTURE AND SERVICE FACILITIES. NO BUILDING, STRUCTURE, CONCRETE SLABS, OR WALLS WILL BE PLACED WITHIN EASEMENT AREAS 2. ANY CPS ENERGY OR SAWS MONETARY LOSS RESULTING FROM MODIFICATIONS REQUIRED

OF CPS ENERGY OR SAWS INFRASTRUCTURE AND SERVICE FACILITIES, LOCATED WITHIN SAID EASEMENTS, DUE TO GRADE CHANGES OR GROUND ELEVATION ALTERATIONS SHALL BE CHARGED TO THE PERSON OR PERSONS DEEMED RESPONSIBLE FOR SAID GRADE CHANGES 3. THIS PLAT DOES NOT AMEND, ALTER, RELEASE OR OTHERWISE AFFECT ANY EXISTING

ELECTRIC, GAS, WATER, SEWER, DRAINAGE, TELEPHONE, CABLE TV EASEMENTS OR ANY OTHER EASEMENTS FOR UTILITIES UNLESS THE CHANGES TO SUCH EASEMENTS ARE DESCRIBED HEREON. . CONCRETE DRIVEWAY APPROACHES ARE ALLOWED WITHIN THE FIVE (5) AND TEN (10) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN LOTS ARE SERVED ONLY BY UNDERGROUND

ELECTRIC AND GAS FACILITIES. 5. ROOF OVERHANGS ARE ALLOWED WITHIN THE FIVE (5) AND TEN (10) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN ONLY UNDERGROUND ELECTRIC AND GAS FACILITIES ARE PROPOSED OR EXISTING WITHIN THOSE FIVE (5) AND TEN (10) FOOT WIDE EASEMENTS.

DEDICATION OF THE SANITARY SEWER AND/OR WATER MAINS: THE DEVELOPER DEDICATES THE SANITARY SEWER AND /OR WATER MAINS TO THE SAN ANTONIO WATER SYSTEM UPON COMPLETION BY THE DEVELOPER AND ACCEPTANCE BY THE SAN ANTONIO WATER SYSTEM.

DRAINAGE EASEMENT ENCROACHMENTS:

NO STRUCTURE, FENCES, WALLS OR OTHER OBSTRUCTIONS THAT IMPEDE ¹ DRAINAGE SHALL BE PLACED WITHIN THE LIMITS OF THE DRAINAGE EASEMENTS SHOWN ON THIS PLAT. NO LANDSCAPING OR OTHER TYPE OF MODIFICATIONS, WHICH ALTER THE CROSS-SECTIONS OF THE DRAINAGE EASEMENTS, AS APPROVED, SHALL BE ALLOWED WITHOUT THE APPROVAL OF THE DIRECTOR OF TCI OR DIRECTOR OF PUBLIC WORKS. THE CITY OF SAN ANTONIO AND BEXAR COUNTY SHALL HAVE THE RIGHT OF INGRESS AND EGRESS OVER THE GRANTOR'S ADJACENT PROPERTY TO REMOVE ANY IMPEDING OBSTRUCTIONS PLACED WITHIN THE LIMITS OF SAID DRAINAGE EASEMENT AND TO MAKE ANY MODIFICATIONS OR IMPROVEMENTS WITHIN SAID DRAINAGE EASEMENTS.

SAWS HIGH PRESSURE:

A PORTION OF THE TRACT IS BELOW THE GROUND ELEVATION OF 985 FEET WHERE OPEN SPACE THE STATIC PRESSURE WILL NORMALLY EXCEED 80 PSI. AT ALL SUCH LOCATIONS, THE OWNER OR BUILDER SHALL INSTALL AT EACH LOT, ON THE CUSTOMER'S SIDE OF THE METER, AN APPROVED TYPE PRESSURE REGULATOR IN CONFORMANCE WITH THE PLUMBING CODE OF THE CITY OF SAN ANTONIO.

DETENTION FOR PREVIOUSLY RECORDED PLAT:

STORM WATER DETENTION IS REQUIRED FOR THIS PROPERTY AND IS ACCOUNTED FOR IN AN OFFSITE DETENTION POND LOCATED IN RIVERSTONE - UNIT B1 (PLAT # 20-11800285)

RESIDENTIAL FIRE FLOW:

THE PUBLIC WATER MAIN SYSTEM HAS BEEN DESIGNED FOR A MINIMUM FIRE FLOW DEMAND OF 1750 GPM AT 25 PSI RESIDUAL PRESSURE TO MEET THE CITY OF SAN ANTONIO'S FIRE FLOW REQUIREMENTS FOR THE RESIDENTIAL DEVELOPMENT. THE FIRE FLOW REQUIREMENTS FOR INDIVIDUAL STRUCTURES WILL BE REVIEWED PRIOR TO BUILDING PERMIT APPROVAL IN ACCORDANCE WITH THE PROCEDURES SET FORTH BY THE CITY OF SAN ANTONIO DIRECTOR OF DEVELOPMENT SERVICES AND THE SAN ANTONIO FIRE DEPARTMENT FIRE MARSHAL

LINE TABLE			
LINE #	BEARING	LENGTH	
L1	S45*41'30"W	14.06'	
L2	S23 ° 54'39"W	26.50'	
L3	S72 ° 07'49"E	129.98'	
L4	N62 ° 55'20"E	20.00'	
L5	S27°04'40"E	50.00'	
L6	S62*55'20"W	20.00'	
L7	S27°04'40"E	210.00'	
L8	N62 * 55'20"E	20.00'	
L9	S27 ° 04'40"E	50.00'	
L10	S62 * 55'20"W	20.00'	
L11	S27 ° 04'40"E	210.00'	
L12	N62 * 55'20"E	20.00'	
L13	S27 ° 04'40"E	50.00'	
L14	S62*55'20"W	20.00'	
L15	S27 ° 04'40"E	40.00'	
L16	S27 ° 04'40"E	40.00'	
L17	N62 * 55'20"E	21.00'	
L18	S27 ° 04'40"E	50.00'	
L19	S62°55'20"W	21.00'	
L20	S62 ° 55'20"W	60.00'	

LINE TABLE			
LINE #	BEARING	LENGTH	
L21	S62*55'20"W	5.00'	
L22	N15°59'28"W	20.38'	
L23	N85*05'44"E	23.35'	
L24	N27 ° 04'40"W	203.81'	
L25	S62*55'20"W	15.12'	
L26	N29 * 44'01"W	50.00'	
L27	S62 * 55'20"W	50.00'	
L28	S57 * 58'07"W	69.24'	
L29	S40°53'58"W	74.81'	
L30	N72 ° 07'49"W	135.27'	
L31	S23°54'39"W	22.50'	
L32	N62*55'20"E	50.00'	
L33	S27 ° 04'40"E	50.00'	
L34	S27°04'40"E	50.00'	
L35	S27 ° 04'40"E	50.00'	
L36	S27 ° 04'40"E	50.00'	
L37	N27 ° 04'40"W	40.00'	
L38	S36*21'26"W	33.54'	
L39	S62*55'20"W	12.00'	
L40	N62*55'20"E	16.00'	

LINE TABLE			
LINE #	BEARING LENG		
L21	S62 * 55'20"W	5.00'	
L22	N15 ° 59'28"W	20.38'	
L23	N85°05'44"E	23.35'	
L24	N27°04'40"W	203.81'	
L25	S62*55'20"W	15.12'	
L26	N29 * 44'01"W	50.00'	
L27	S62*55'20"W	50.00'	
L28	S57 ° 58'07"W	69.24'	
L29	S40°53'58"W	74.81'	
L30	N72 ° 07'49"W	135.27'	
L31	S23 ° 54'39"W	22.50'	
L32	N62*55'20"E	50.00'	
L33	S27 ° 04'40"E	50.00'	
L34	S27 ° 04'40"E	50.00'	
L35	S27 ° 04'40"E	50.00'	
L36	S27 ° 04'40"E	50.00'	
L37	N27 ° 04'40"W	40.00'	
L38	S36°21'26"W	33.54'	
L39	S62*55'20"W	12.00'	
L40	N62°55'20"E	16.00'	

CURVE TABLE					
CURVE #	RADIUS	DELTA	CHORD BEARING	CHORD	LENGTH
C1	109.00'	45 ° 03'09"	S49 * 36'15"E	83.52'	85.71'
C2	15.00'	90'00'00"	S72 ° 04'40"E	21.21'	23.56'
C3	15.00'	90'00'00"	S17*55'20"W	21.21'	23.56'
C4	15.00'	90'00'00"	S72 ° 04'40"E	21.21'	23.56'
C5	15.00'	90'00'00"	S17*55'20"W	21.21'	23.56'
C6	15.00'	90'00'00"	S72 ° 04'40"E	21.21'	23.56'
C7	15.00'	90'00'00"	S17*55'20"W	21.21'	23.56'
C8	15.00'	90.00,00	S72 * 04'40"E	21.21'	23.56'
C9	15.00'	90.00,00	S17*55'20"W	21.21'	23.56'
C10	15.00'	90'00'00"	S17*55'20"W	21.21'	23.56'
C11	175.00'	2 ° 39'20"	S61*35'40"W	8.11'	8.11'
C12	1540.00'	3 ° 22'51"	N7°02'46"E	90.86'	90.87'
C13	360.00'	62 ° 00'00"	N36°21'20"E	370.83'	389.56'
C14	440.00'	4 ° 48'36"	N64 ° 57'02"E	36.93'	36.94'
C15	15.00'	90'00'00"	N17 * 55'20"E	21.21'	23.56'
C16	59.00'	45 ° 03'09"	N49 * 36'15"W	45.21'	46.39'
C17	225.00'	2 ° 39'20"	N61 ° 35'40"E	10.43'	10.43'
C18	15.00'	90'00'00"	N17 * 55'20"E	21.21'	23.56'
C19	15.00'	52*41'41"	N53 ° 25'31"W	13.31'	13.80'
C20	51.00'	165 ° 53'19"	N3°10'18"E	101.23'	147.66'
C21	15.00'	52*41'41"	N59 * 46'06"E	13.31'	13.80'
C22	15.00'	46 ° 49'05"	N10°00'43"E	11.92'	12.26'
C23	51.00'	213 ° 08'15"	S86*49'42"E	97.76'	189.72'
C24	15.00'	46 • 49'05"	S3*40'08"E	11.92'	12.26'
C25	15.00'	90'00'00"	S72*04'40"E	21.21'	23.56'
C26	15.00'	90'00'00"	N72°04'40"W	21.21'	23.56'
C27	15.00'	90'00'00"	N17 * 55'20"E	21.21'	23.56'
C28	15.00'	90'00'00"	N72 ° 04'40"W	21.21'	23.56'
C29	25.00'	90'00'00"	S17*55'20"W	35.36'	39.27'
C30	15.00'	40 ° 52'57"	N47*31'09"W	10.48'	10.70'
C31	51.00'	171 ° 45'54"	N17 * 55'20"E	101.74'	152.89'
C32	15.00'	40 * 52'57"	N83*21'48"E	10.48'	10.70'
C33	15.00'	90'00'00"	N17 * 55'20"E	21.21'	23.56'
C34	15.00'	90'00'00"	N72 ° 04'40"W	21.21'	23.56'
C35	15.00'	90'00'00"	S72*04'40"E	21.21'	23.56'
C36	15.00'	90'00'00"	N17 * 55'20"E	21.21'	23.56'
C37	25.00'	119 ° 30'04"	N86°49'42"W	43.19'	52.14'
C38	25.00'	60 ° 29'56"	S3*10'18"W	25.19'	26.40'
C39	15.00'	90°00'00"	S17*55'20"W	21.21'	23.56'
C40	15.00'	90°00'00"	S72 ° 04'40"E	21.21'	23.56'
C41	15.00'	90°00'00"	N17 * 55'20"E	21.21'	23.56'
C42	15.00'	90.00,00	N72 ° 04'40"W	21.21'	23.56'

SAN ANTONIO PLANNING COMMISSION.

STATE OF TEXAS COUNTY OF BEXAR LICENSED PROFESSIONAL ENGINEER

REGISTERED PROFESSIONAL LAND SURVEYOR

I HEREBY CERTIFY THAT THE ABOVE PLAT CONFORMS TO THE MINIMUM STANDARDS SET FORTH BY THE TEXAS BOARD OF PROFESSIONAL LAND SURVEYING ACCORDING TO AN ACTUAL SURVEY MADE ON THE GROUND BY: PAPE-DAWSON ENGINEERS, INC.

SEE SHEET 3 OF 3 FOR PLAT NOTES,

LINE & CURVE TABLE PLAT NOTES APPLY TO EVERY PAGE OF THIS MULTIPLE PAGE PLAT

SAWS IMPACT FEE

SAWS WASTEWATER EDU: ANTONIO WATER SYSTEM

TREE NOTE:

THIS SUBDIVISION IS SUBJECT TO A MASTER TREE PLAN (TRE-APP-APP21-38800167) WHICH REQUIRES COMPLIANCE BY THE OWNERS OF ALL PROPERTY WITHIN THE PLAT BOUNDARY, AND THEIR EMPLOYEES AND CONTRACTORS, AND SHALL BE BINDING ON ALL SUCCESSORS IN TITLE EXCEPT FOR OWNERS OF SINGLE-FAMILY RESIDENTIAL LOTS SUBDIVIDED HEREUNDER FOR WHICH CONSTRUCTION OF A BESIDENTIAL STRUCTURE HAS BEEN COMPLETED. THE MASTER TREE PLAN IS ON FILE AT THE CITY OF SAN ANTONIO ARBORISTS OFFICE. NO TREES OR UNDERSTORY SHALL BE REMOVED WITHOUT PRIOR APPROVAL OF THE CITY ARBORIST OFFICE PER 35-477(H).

FLOODPLAIN VERIFICATION: NO PORTION OF THE FEMA 1% ANNUAL CHANCE (100-YEAR) FLOODPLAIN

RESIDENTIAL FINISHED FLOOR

INCHES ABOVE FINAL ADJACENT GRADE. COMMON AREA MAINTENANCE THE MAINTENANCE OF ALL PRIVATE STREETS, OPEN SPACE, GREENBELTS, PARKS, TREE SAVE AREAS, INCLUDING LOT 901, BLOCK 26, CB 4388 AND LOT 901, BLOCK 28, CB 4388, DRAINAGE EASEMENTS AND EASEMENTS OF ANY OTHER NATURE WITHIN THIS SUBDIVISION SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNERS, OR THE PROPERTY OWNERS' ASSOCIATION, OR ITS SUCCESSORS OR ASSIGNS AND NOT THE RESPONSIBILITY OF THE CITY OF SAN ANTONIO OR BEXAR COUNTY.

SETBACK:

ANTONIO

WATER AND/OR WASTEWATER IMPACT FEES WERE NOT PAID AT THE TIME OF PLATTING FOR THIS PLAT. ALL IMPACT FEES MUST BE PAID PRIOR TO WATER METER SET AND/OR WASTEWATER SERVICE CONNECTION.


THE NUMBER OF WASTEWATER EQUIVALENT DWELLING UNITS (EDU'S) PAID FOR THIS SUBDIVISION PLAT ARE KEPT ON FILE UNDER THE PLAT NUMBER AT THE SAN

EXISTS WITHIN THIS PLAT AS VERIFIED BY FEMA MAP PANEL: 48029C0335F EFFECTIVE DATE SEPTEMBER 29, 2010. FLOODPLAIN INFORMATION IS SUBJECT TO CHANGE AS A RESULT OF FUTURE FEMA MAP REVISIONS AND/OR AMENDMENTS.

RESIDENTIAL FINISHED FLOOR ELEVATIONS MUST BE A MINIMUM OF EIGHT (8)

THE SETBACKS ON THIS PLAT ARE IMPOSED BY THE PROPERTY OWNER OR BEXAR COUNTY AND ARE NOT SUBJECT TO ENFORCEMENT BY THE CITY OF SAN

LOT 901, BLOCK 26, AND LOT 901 BLOCK 28, CB 4388, IS DESIGNATED AS OPEN SPACE AND AS A COMMON AREA AND A DRAINAGE EASEMENT.



EASEMENTS & SETBACKS **EXCEPT AS NOTED** NOT-TO-SCALE

SURVEYOR'S NOTES

- 1. MONUMENTS WERE FOUND OR SET AT EACH CORNER OF THE SURVEY BOUNDARY OF THE SUBDIVISION AS NOTED. MONUMENTS AND LOT MARKERS WILL BE SET WITH " IRON ROD WITH CAP MARKED "PAPE-DAWSON" OR MAG NAIL WITH DISK MARKED "PAPE-DAWSON" AFTER THE COMPLETION OF UTILITY INSTALLATION AND STREET CONSTRUCTION UNLESS NOTED OTHERWISE.
- COORDINATES SHOWN ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 NAD83 (NA2011) EPOCH 2010.00 FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR THE SOUTH CENTRAL ZONE DISPLAYED IN GRID VALUES DERIVED FROM THE NGS COOPERATIVE CORS NETWORK. DIMENSIONS SHOWN ARE SURFACE.
- BEARINGS ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 NAD83 FOR THE SOUTH CENTRAL ZONE.

TREE SAVE AREA NOTE

PORTIONS OF LOT 901, BLOCK 26, CB 4388 (13.241 AC.) IS DESIGNATED AS TREE SAVE AREA

PLAT NUMBER 20-11800283

SUBDIVISION PLAT OF

RIVERSTONE - UNIT B2

BEING A TOTAL OF 36.259 ACRES TRACT OF LAND OUT OF A 326.565 ACRES TRACT OF LAND CONVEYED TO CONTINENTAL HOMES OF TEXAS, L.P. BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT 20210237940 OF THE OFFICIAL PUBLIC RECORDS OF BEXAR COUNTY, TEXAS OUT OF SARAH TYLER SURVEY NO. 367, ABSTRACT 744, COUNTY BLOCK 4401, AND EMMANUEL ESCALERA SURVEY NO. 369, ABSTRACT 225 COUNTY BLK 4405 BEXAR COUNTY TEXAS



SAN ANTONIO | AUSTIN | HOUSTON | FORT WORTH | DALLAS 2000 NW LOOP 410 | SAN ANTONIO, TX 78213 | 210.375.9000 TBPE FIRM REGISTRATION #470 | TBPLS FIRM REGISTRATION #10028800

DATE OF PREPARATION: March 25, 2022 STATE OF TEXAS COUNTY OF BEXAR

(NA2011) EPOCH 2010.00, FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED THE OWNER OF LAND SHOWN ON THIS PLAT, IN PERSON OR THROUGH A DULY AUTHORIZED AGENT, DEDICATES TO THE USE OF THE PUBLIC, EXCEPT AREAS IDENTIFIED AS PRIVATE OR PART OF AN ENCLAVE OR PLANNED UNIT DEVELOPMENT, FOREVER ALL STREETS, ALLEYS, PARKS, WATERCOURSES, DRAINS, EASEMENTS AND PUBLIC PLACES THEREON SHOWN FOR THE PURPOSE AND CONSIDERATION THEREIN EXPRESSED.

OWNER CONTINENTAL HOMES OF TEXAS LP A TEXAS LIMITED PARTNERSHIP

- CHTEX OF TEXAS, INC.
- A DELAWARE CORPORATION, ITS SOLE GENERAL PARTNER
- LESLIE OSTRANDER, ASSISTANT SECRETARY
- 5419 N. LOOP 1604 E., SAN ANTONIO, TEXAS 78247

STATE OF TEXAS COUNTY OF BEXAR

BEFORE ME, THE UNDERSIGNED AUTHORITY ON THIS DAY PERSONALLY APPEARED LESLIE K. OSTRANDER KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED. GIVEN UNDER MY HAND AND SEAL OF OFFICE THIS DAY OF , A.D. 20

NOTARY PUBLIC, BEXAR COUNTY, TEXAS

CERTIFICATE OF APPROVAL

THE UNDERSIGNED, COUNTY JUDGE OF BEXAR COUNTY, TEXAS AND PRESIDING OFFICER OF THE COMMISSIONERS COURT OF BEXAR COUNTY, DOES HEREBY CERTIFY THAT THE ATTACHED PLAT WAS DULY FILED WITH THE COMMISSIONERS COURT OF BEXAR COUNTY, TEXAS AND THAT AFTER EXAMINATION IT APPEARED THAT SAID PLAT IS IN CONFORMITY WITH THE STATUTES, RULES AND REGULATIONS GOVERNING SAME, AND THIS PLAT WAS APPROVED BY THE SAID COMMISSIONERS COURT

DATED THIS	_ DAY OF	A.D. 20

COUNTY JUDGE BEXAR COUNTY TEXA

COUNTY CLERK, BEXAR COUNTY, TEXAS

THIS PLAT OF RIVERSTONE - UNIT B2 HAS BEEN SUBMITTED TO AND CONSIDERED BY THE PLANNING COMMISSION OF THE CITY OF SAN ANTONIO, TEXAS, IS HEREBY APPROVED BY SUCH COMMISSION IN ACCORDANCE WITH STATE OR LOCAL LAWS AND REGULATIONS; AND/OR WHERE ADMINISTRATIVE EXCEPTION(S) AND/OR VARIANCE(S) HAVE BEEN GRANTED.

> DATED THIS ______DAY OF _____ _, A.D. 20 ___

CHAIRMAN

SECRETARY

5 Ь 92 92 No. dol 11680-21; Survey S. dol Civil

UNIT

RSTONE

RIVE