Z2022-10700057 ERZD

George Voss Survey No. 340 1/2, Abstract No. 788 G.M. Goll Survey No. 352, Abstract No. 282 Bexar County, TX February 17, 2022 UAS001-SA213-401: Rezone Exhibit Page 1 of 4

FIELD NOTE DESCRIPTION

BULVERDE CROSSING: REZONE EXHIBIT 21.090 ACRES

BEING: A 21.090 ACRE, MORE OR LESS, TRACT OF LAND OUT OF LOT 5, BLOCK 10, NEW CITY BLOCK 17728, NEC BULVERDE/1604 2 SUBDIVISION RECORDED IN VOLUME 9669, PAGE 132-135 OF THE DEED AND PLAT RECORDS OF BEXAR COUNTY, TEXAS. SAID 21.095 ACRE TRACT BEING MORE FULLY DESCRIBED AS FOLLOWS:

BEGINNING: AT A POINT FOR THE EAST CORNER OF SAID LOT 5, THE SOUTH CORNER OF LOT 901, BLOCK 10, OF SAID NEC BULVERDE/1604 2, ON THE NORTHWEST LINE OF A 20.145 ACRE TRACT RECORDED IN VOLUME 3086, PAGE 275 OF THE OFFICIAL PUBLIC RECORDS OF BEXAR COUNTY, TEXAS;

THENCE: S 45°26'24" W, ALONG AND WITH THE SOUTHEAST LINE OF SAID LOT 5, AND THE NORTHWEST LINE OF SAID 20.145 ACRE TRACT, A DISTANCE OF 194.52 FEET TO A 1/2" IRON ROD FOUND WITH YELLOW CAP "PAPE DAWSON";

THENCE: S 02°14'44" E, CONTINUING ALONG AND WITH THE EAST LINE OF SAID LOT 5, THE WEST LINE OF 20.145 ACRE TRACT, A DISTANCE OF 157.26 FEET TO A POINT;

THENCE: DEPARTING THE WEST LINE OF SAID 20.145 ACRE TRACT, OVER AND ACROSS SAID LOT 5 THE FOLLOWING BEARINGS AND DISTANCES:

- 1. S 87°45'16" W, A DISTANCE OF 202.54 FEET TO A POINT;
- 2. S 24°57'38" W, A DISTANCE OF 220.35 FEET TO A POINT;
- 3. S 32°38'13" W, A DISTANCE OF 4.85 FEET TO A POINT;
- 4. S 87°47'37" W, A DISTANCE OF 300.94 FEET TO A POINT;
- 5. S 84°55'52" W, A DISTANCE OF 322.40 FEET TO A POINT;
- 6. N 05°01'05" W, A DISTANCE OF 167.26 FEET TO A POINT;
- 7. S 85°56'30" W, A DISTANCE OF 55.11 FEET TO A POINT;
- 8. S 68°03'49" W, A DISTANCE OF 311.36 FEET TO A POINT;

George Voss Survey No. 340 1/2, Abstract No. 788 G.M. Goll Survey No. 352, Abstract No. 282 Bexar County, TX February 17, 2022 LJAS001-SA213-401: Rezoning Exhibit Page 2 of 4

- NORTHWESTERLY, ALONG A NON-TANGENT CURVE TO THE RIGHT, SAID CURVE HAVING A RADIUS OF 378.05 FEET, A CENTRAL ANGLE OF 05°47'24", A CHORD BEARING AND DISTANCE OF N 17°21'23" W, 38.19 FEET, FOR AN ARC LENGTH OF 38.20 FEET TO A POINT;
- 10. N 14°26'16" W, A DISTANCE OF 95.95 FEET TO A POINT;
- NORTHWESTERLY, ALONG A NON-TANGENT CURVE TO THE RIGHT, SAID CURVE HAVING A RADIUS OF 1162.00 FEET, A CENTRAL ANGLE OF 16°03'09", A CHORD BEARING AND DISTANCE OF N 06°24'50" W, 324.49 FEET, FOR AN ARC LENGTH OF 325.55 FEET TO A POINT;
- 12. N 88°59'26" E, PASSING THE SOUTHWEST CORNER OF LOT 13, BLOCK 10, NEC BULVERDE CROSSING RECORDED IN VOLUME 9690, PAGE 169 OF THE DEED AND PLAT RECORDS OF BEXAR COUNTY, TEXAS AT A DISTANCE OF 13.15 FEET TO A 1/2" IRON ROD FOUND WITH CAP "PAPE DAWSON", AND CONTINUING FOR A TOTAL DISTANCE OF 196.70 FEET TO A 1/2" IRON ROD FOUND WITH CAP "PAPE DAWSON" FOR THE SOUTHEAST CORNER OF SAID LOT 13;

THENCE: N 33°50'31" E, ALONG AND WITH THE SOUTHEAST LINE OF SAID LOT 13, AT A DISTANCE OF 548.12 FEET, PASSING A 1/2" IRON ROD FOUND WITH YELLOW CAP "PAPE DAWSON" AT THE NORTHEAST CORNER OF SAID LOT 13, AND CONTINUING FOR A TOTAL DISTANCE OF 611.18 FEET TO A POINT;

THENCE: OVER AND ACROSS SAID LOT 5 THE FOLLOWING BEARINGS AND DISTANCES:

- 1. S 55°55'04" E, A DISTANCE OF 257.83 FEET TO A POINT;
- 2. S 70°09'50" E, A DISTANCE OF 46.92 FEET TO A POINT;
- 3. N 87°09'09" E, A DISTANCE OF 224.31 FEET TO A POINT;
- 4. S 53°22'58" E, A DISTANCE OF 80.28 FEET TO A POINT;
- 5. N 36°37'02" E, A DISTANCE OF 24.00 FEET TO A POINT ON THE NORTHEAST LINE OF SAID LOT 5, THE SOUTHWEST LINE OF SAID LOT 901;

THENCE: S 53°22'50" E, ALONG AND WITH THE NORTHEAST LINE OF SAID LOT 5, THE SOUTHWEST LINE OF SAID LOT 901, A DISTANCE OF 479.39 FEET TO THE POINT OF BEGINNING AND CONTAINING 21.090 ACRES IN THE CITY OF SAN ANTONIO, BEXAR COUNTY, TEXAS.

George Voss Survey No. 340 1/2, Abstract No. 788 G.M. Goll Survey No. 352, Abstract No. 282 Bexar County, TX February 17, 2022 LIAS001-SA213-401: Rezoning Exhibit Page 3 of 4


BEARING BASIS: GRID NORTH, TEXAS STATE PLANE COORDINATES, SOUTH CENTRAL ZONE, NAD83 (NAD83 (2011) EPOCH 2018). ALL DISTANCES ARE SURFACE VALUES, TO OBTAIN GRID VALUES MULTIPLY SURFACE DISTANCES BY A COMBINED SCALED FACTOR OF 0.99987002. ALL DISTANCES ARE U.S. SURVEY FEET.

AN EXHIBIT OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS PROPERTY DESCRIPTION.



Gordon N. Anderson Registered Professional Land Surveyor No. 6617 LJA Surveying, Inc. 1100 Northeast Loop 410, Suite 850 San Antonio, Texas 78209 (210) 503-2700 TBPLS No. 10194382

Date: 2/17/2022



Z2022-10700057 ERZD