



CARPORT EAST ELEVATION SC: 3/16" = 1'0"





MAIN HOME SOUTH ELEVATION SC: 3/16" = 1' 0"

TO MATCH EXISTIING







0020 1100 1100					
QUOTE BY : Sulecia Saez	QUOTE #	: JW2207010N1 - Version 0			
SOLD TO : Noe Garcia	SHIP TO	:			
PO# :	PROJECT NAM	PROJECT NAME : 322 N. Hackberry			
Ship Via : Ground	REFERENCE	-			
U-Factor Weighted Average: 0.29 SHGC Weighted Average: 0.2					
LINE LOCATIO SIZE INFO		NET UNIT QTY EXTENDED PRICE PRICE			
Line 1 35 3/8 x 76 RO Size : 36 1/8 X 76 3/4	Custom Wood Double Hung, Aurala Natural Pine Exterior, Natural Interior, Brickmould, Standard Sill Nosing, 6 9/16 Jamb, 4/4 Thick, Standard Double Hung, White Jambl White Hardware, Deluxe Cam Lock(Lifts, US National-WDMA/ASTM, PG 35 : 1/2" =1' Insulated SunResist Annealed Glass, Argon Filled, Traditional Glz Bd, UltraVue Mesh Brilliant White Screet IGThick=0.756(1/8 / 1/8), Clear Ope U-Factor: 0.29, SHGC: 0.20, VLT: 0 672-10802-00001	 Frame Size : 35 3/8 X 76 (Outside Casing Size: 38 1/8 X 77 15/16) Custom Wood Double Hung, Auralast Pine, Natural Pine Exterior, Natural Interior, Brickmould, Standard Sill Nosing, 6 9/16 Jamb, 4/4 Thick, Standard Double Hung, White Jambliner, Concealed Interior Jamb Liner White Hardware, Deluxe Cam Lock(s) w/Concealed Tilt Latch No Finger Lifts, US National-WDMA/ASTM, PG 35, Insulated SunResist Annealed Glass, Neat, Protective Film, Silver Spacer, Argon Filled, Traditional Glz Bd, Ultra Vue Mesh Brilliant White Screen, IGThick=0.756(1/8 / 1/8), Clear Opening:32w, 33.1h, 7.3 sf U-Factor: 0.29, SHGC: 0.20, VLT: 0.48, Energy Rating: 14.00, CPD: JEL-N-672-10802-00001 PEV 2022.2.0.3875/PDV 6.740 (06/23/22)PW 			
$\frac{1}{1}$ = 2 = 21.2/9 = 60	CWD2160	\$1,252.41 5 \$6,262.05			
Line 2 31 3/8 x 60	CWD3160 Frama Siza : 21 2/8 X 60				
RO Size : 32 1/8 X 60 3/4		Frame Size : 31 3/8 X 60 (Outside Casing Size: 34 1/8 X 61 15/16)			
Viewed from Exterior. Scale	Natural Pine Exterior, Natural Interior, Brickmould, Standard Sill Nosing, 6 9/16 Jamb, 4/4 Thick, Standard Double Hung, White Jambl White Hardware, Deluxe Cam Lock(Lifts, US National-WDMA/ASTM, PG 35 : 1/2" =1' Insulated SunResist Annealed Glass, Argon Filled, Traditional Glz Bd, UltraVue Mesh Brilliant White Screet IGThick=0.756(1/8 / 1/8), Clear Ope U-Factor: 0.29, SHGC: 0.20, VLT: 0 672-10802-00001 PEV 2022.2.0.3875/PDV 6.740 (06/2	Natural Interior, Brickmould, Standard Sill Nosing, 6 9/16 Jamb, 4/4 Thick, Standard Double Hung, White Jambliner, Concealed Interior Jamb Liner White Hardware, Deluxe Cam Lock(s) w/Concealed Tilt Latch No Finger Lifts, US National-WDMA/ASTM, PG 35, Insulated SunResist Annealed Glass, Neat, Protective Film, Silver Spacer, Argon Filled, Traditional Glz Bd, UltraVue Mesh Brilliant White Screen, IGThick=0.756(1/8 / 1/8), Clear Opening:28w, 25.1h, 4.9 sf U-Factor: 0.29, SHGC: 0.20, VLT: 0.48, Energy Rating: 14.00, CPD: JEL-N-			
cust-13153	Page 1 of 2 (Prices are subject to change.)	JW2207010N1 (Ver:0) - 07/28/2022 9.15 AM			
Quote Date: 07/28/2022	Drawings are for visual reference only and may not be t All orders are subject to review by JELD-W				

LINE	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT QTY D PRICE	EXTENDED PRICE
Line 3		DELIVERY		
			\$55.00 1	\$55.00
			Total:	\$7,351.47
			Bexar (8.2500%):	\$606.50
			Net Total:	\$7,957.97
			Total Units:	7

VAURALASE Protect yourself when you choose JELD-WEN AuraLast pine products backed by a limited lifetime warranty against wood rot and termite damage.